



THE NEW RANGE OF CABLE REELS FOR GREEN MOBILITY



Introducing a new cable reel for the Green Mobility, it's flexible and made out of high quality materials. This reel is suitable for type 2 charging: plug the entry outlet into the wallbox and connect the exit outlet, type 1 or type 2 to your electric car, you can then proceed to recharging in complete safety.


Note: the charging pod is not included.

Code	Cable Type	Charging Type	Charging Plug Vehicle Side	Charging Socket Wallbox Side	Cable Length	Cable Reel IP Code
EV6321	3G6 + 1X0,5	single phase 32A	type 1	type 2	7+1 m	IP65
EV6322	3G6 + 1X0,5	single phase 32A	type 2	type 2	7+1 m	IP65
EV6162T	5G2,5 + 1X0,5	three phase 16A	type 2	type 2	7+1 m	IP65
EV6322T	5G6 + 1X0,5	three phase 32A	type 2	type 2	7+1 m	IP65

GUIDE TO CONNECTORS

TYPE 1

SAE J1772-2009



Type 1 connector has 5 contacts.


The type 1 is the North-American and Japanese standard. This type of connector can be used only for single-phase charging.

Max 32A 230V



TYPE 2

VDE-AR-E 2623-2-2



Type 2 connector has 7 contacts.

This type of connector is the European standard. This type of connector can be used both on single-phase and three-phase recharging.

Max 32A 230V / 32A 400V



OPTIONAL


ART. 1401 SWIVELLING BRACKET


Suitable only if the cable reel is manually used.
For wall fastening.



ART. 1403 FIXED BRACKET

For wall, floor or ceiling fastening.





Cablecaddy Ltd
cable reel solutions



Unit 2 Highbridge Court
Stafford Park 1, Telford
Shropshire, TF3 3BD

www.cablecaddy.co.uk

Tel: 01952 212700

Fax: 01952 212711

info@cablecaddy.co.uk

Trading division of

CEE **NORM**
U.K. Ltd